



Hak cipta dan penggunaan kembali:

Lisensi ini mengizinkan setiap orang untuk mengubah, memperbaiki, dan membuat ciptaan turunan bukan untuk kepentingan komersial, selama anda mencantumkan nama penulis dan melisensikan ciptaan turunan dengan syarat yang serupa dengan ciptaan asli.

Copyright and reuse:

This license lets you remix, tweak, and build upon work non-commercially, as long as you credit the origin creator and license it on your new creations under the identical terms.

DAFTAR PUSTAKA

- A Van Lamsweerde (2009). Requirements engineering : from system goals to UML models to software specifications. Chichester, England ; Hoboken, Nj: John Wiley, Cop.
- Cheng, B.H.C. and Atlee, J.M. (2007). Research Directions in Requirements Engineering. Future of Software Engineering (FOSE '07).
- Fernando, A. and Gunawan, D. (2016). Rancang bangun aplikasi kamus obat menggunakan algoritma levenshtein distance berbasis android. [online] kc.umn.ac.id. Available at: <http://kc.umn.ac.id/id/eprint/1168> [Accessed 9 Mar. 2020].
- Anggamaulana (2018). anggamaulana/svm-firefly-optimization. [online] GitHub. Available at: <https://github.com/anggamaulana/svm-firefly-optimization/blob/master/slangwords.txt> [Accessed 7 Apr. 2020].
- K. Dalal, M. and A. Zaveri, M. (2011). Automatic Text Classification: A Technical Review. International Journal of Computer Applications, 28(2), pp.37–40.
- Morales-Ramirez, I., Munante, D., Kifetew, F., Perini, A., Susi, A. and Siena, A. (2017). Exploiting User Feedback in Tool-Supported Multi-criteria Requirements Prioritization. 2017 IEEE 25th International Requirements Engineering Conference (RE).
- Pagano, D. and Maalej, W. (2013). User feedback in the appstore: An empirical study. 2013 21st IEEE International Requirements Engineering Conference (RE).
- Pamungkas, E.W. and Putri, D.G.P. (2017). Word Sense Disambiguation for Lexicon-Based Sentiment Analysis. Proceedings of the 9th International Conference on Machine Learning and Computing - ICMLC 2017.
- Rosmala, D. and Risyad, Z.M. (2018). Algoritma Levenshtein Distance dalam Aplikasi Pencarian isu di Kota Bandung pada Twitter. MIND Journal, 2(2), pp.1–12.

- SCHEPENS, J., DIJKSTRA, T. and GROOTJEN, F. (2011). Distributions of cognates in Europe as based on Levenshtein distance. *Bilingualism: Language and Cognition*, 15(1), pp.157–166.
- Tang, B., Kay, S. and He, H. (2016). Toward Optimal Feature Selection in Naive Bayes for Text Categorization. *IEEE Transactions on Knowledge and Data Engineering*, 28(9), pp.2508–2521.
- Wagh, B., Shinde, J.V. and Kale, P.A. (2018). A Twitter Sentiment Analysis Using NLTK and Machine Learning Techniques. *International Journal of Emerging Research in Management and Technology*, 6(12), p.37.
- Wieringa, R. and Persson, A. eds., (2010). *Requirements Engineering: Foundation for Software Quality*. Lecture Notes in Computer Science. Berlin, Heidelberg: Springer Berlin Heidelberg.
- Wiratama, G.P. and Rusli, A. (2019). Sentiment Analysis of Application User Feedback in Bahasa Indonesia Using Multinomial Naive Bayes. 2019 5th International Conference on New Media Studies (CONMEDIA).
- Zhang, S., Hu, Y. and Bian, G. (2017). Research on string similarity algorithm based on Levenshtein Distance. 2017 IEEE 2nd Advanced Information Technology, Electronic and Automation Control Conference (IAEAC).
- Zhang, W. and Gao, F. (2011). An Improvement to Naive Bayes for Text Classification. *Procedia Engineering*, 15, pp.2160–2164.